

MACHINE PROTECTION KILO



Technical Information

Tested to withstand force of (Joule)	Top 2.500 J Bottom 10.000 J
Vehicle weight equivalent (kg)	5.000 kg
Vehicle equivalent speed (km/h)	7,2 km/h
Equivalent angle of impact	90°
Deflection zone	250 mm

Material Properties



Chemical Resistance	high- ISO/TR 10358
Temperature Range	-10° up to + 50°

Environment

CO2 / m ³	18,5 kg
Recyclability	100%

Other

Standard Warranty 5 years



Art. No.	Description	Width	Weight
DFKI+FU1	Machine protection	1000 mm	41,1 kg
DFKI+FU2	Machine protection	1500 mm	44,5 kg
DFKI+FU3	Machine protection	2000 mm	47,4 kg

Article description	Barrier 1200 x 1000 mm
Item number	DFKI+FU1
EAN	4250912395190
Customs tariff number	39269097
Height	1200 mm
Width	225 mm
Length	1000 mm
Diameter	
Deflection zone	250 mm
Net weight	40,06 kg
Material	Polyethylene
Color	Yellow (like RAL 1018 traffic yellow) / black
Indoor use	Yes
Outdoor use	Yes
Boreholes	8
Fixing	The fixing material is included. The Fischer ULTRACUT FBS II is the perfect powerful concrete screw for top installation comfort.
Fixing dimensions	M12X85



Material Properties

Chemical Resistance	high- ISO/TR 10358
Temperature Range	-10° up to + 50°





Environment

CO2 / m³	18,5 kg
Recyclability	100%

Other

Standard Warranty 5 years



Article description Barrier 1200 x 1500 mm
Item number DFKI+FU2
EAN 4250912395206
Customs tariff number 39269097




Height 1200 mm
Width 225 mm
Length 1500 mm
Diameter
Deflection zone 250 mm

Net weight 44,5 kg
Material Polyethylene
Color Yellow (like RAL 1018 traffic yellow) / black
Indoor use Yes
Outdoor use Yes
Boreholes 8
Fixing The fixing material is included. The Fischer ULTRACUT FBS II is the perfect powerful concrete screw for top installation comfort.
Fixing dimensions M12X85



Material Properties

Chemical Resistance high- ISO/TR 10358
Temperature Range -10° up to + 50°





Environment

CO2 / m³ 18,5 kg
Recyclability 100%

Other

Standard Warranty 5 years



Article description Barrier 1200 x 2000 mm
Item number DFKI+FU3
EAN 4250912395213
Customs tariff number 39269097




Height 1200 mm
Width 225 mm
Length 2000 mm
Diameter
Deflection zone 250 mm

Net weight 47,4 kg
Material Polyethylene
Color Yellow (like RAL 1018 traffic yellow) / black
Indoor use Yes
Outdoor use Yes
Boreholes 8
Fixing The fixing material is included. The Fischer ULTRACUT FBS II is the perfect powerful concrete screw for top installation comfort.
Fixing dimensions M12X85



Material Properties

Chemical Resistance high- ISO/TR 10358
Temperature Range -10° up to + 50°



Environment

CO2 / m³ 18,5 kg
Recyclability 100%

Other

Standard Warranty 5 years

